

PRODUCT SPECIFICATIONS & INFORMATION



Applied Technology Center, 2 Turner Place, Piscataway, NJ 08855

Customer Service Department, 4501 Magnolia Cove Drive, Suite 106, Kingwood Texas 77345 Phone: (800) 981-6340, Fax 832- 445-0156

PRODUCT: PRINTEX® 60 Beads

Pigment Black 7 Color Index # 77266

Printex®60 is an easily dispersed, regular color furnace carbon black for aqueous flexo inks, plastics and for masterbatch production. A powdered form is also available.

METHOD #	PROPERTIES	UNIT	TYPICAL RANGE
<u>GENERAL SPECIFICATIONS</u>			
ASTM D 3265	Tint Strength, IRB = 100%	%	100 - 114
DIN 55 979	Blackness Value My determined at the powder black		238 - 250
ASTM D 2414	OAN	ml/100 g	96 - 108
ISO 787-18 ASTM D 1514	Sieve residue, 45 µm, Mocker	ppm	100 max
DIN 53 553	Solvent Extractables Toluene Extracts (8h)	%	0.10 max

SUPPLEMENTAL INFORMATION (not certified)

			Typical Value
ISO 787-9	pH Value		10
DIN 53 552	Volatile Matter (950°C)	%	0.5

This information and all further technical advice is based on our present knowledge and experience. However, Orion Engineered Carbons, LLC assumes no liability for providing such information and advice including the extent to which such information and advice may relate to existing third party intellectual property rights, especially patent rights. In particular, Orion Engineered Carbons, LLC disclaims all CONDITIONS AND WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY. ORION ENGINEERED CARBONS, LLC SHALL NOT BE RESPONSIBLE FOR CONSEQUENTIAL, INDIRECT OR INCIDENTAL DAMAGES (INCLUDING LOSS OF PROFITS) OF ANY KIND. Orion Engineered Carbons, LLC reserves the right to make any changes according to technological progress or further developments. It is the customer's responsibility and obligation to carefully inspect and test any incoming goods. Performance of the product(s) described herein should be verified by testing and carried out only by qualified experts. It is the sole responsibility of the customer to carry out and arrange for any such testing. Reference to trade names used by other companies is neither a recommendation, nor an endorsement of any product and does not imply that similar products could not be used.

CAS#: 1333-86-4

Revision No. 7
Effective Date: 9/22/2008
Issue Date: 2/20/2009 (CRL)